SAFETY DATA SHEET Barclay Hurler

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name

Barclay Hurler

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Agricultural/Horticultural Herbicide

1.3. Details of the supplier of the safety data sheet

Manufacturer	Barclay Che
	Damastown
	Damastown
	Mulhuddart
	Dublin 15
	Ireland
	Tel: + 353 1

Barclay Chemicals Manufacturing Ltd, Damastown Way Damastown Industrial Estate Mulhuddart Dublin 15 Ireland Tel: + 353 1 811 29 00 Fax: + 353 1 822 46 78 email: info@barclay.ie

1.4. Emergency telephone number

+353 86 385 77 69

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

	Physical and Chemical Hazards	Flam. Liq. 3 - H226
	Human health	Skin Irrit. 2 - H315;Skin Sens. 1 - H317;STOT SE 3 - H336;Asp. Tox. 1 -
		H304
	Environment	Aquatic Chronic 2 - H411
Classification (1999/45/EEC)	Xn;R65. Xi;R37/38. R43. N;R51/53. R10, R67.	
The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.		

2.2. Label elements

Contains Hydrocarbons, C9, aromatics Label In Accordance With (EC) No. 1272/2008

Signal Word	Danger	
Hazard Statements		
	H226	Flammable liquid and vapour.
	H304	May be fatal if swallowed and enters airways.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H336	May cause drowsiness or dizziness.
	H411	Toxic to aquatic life with long lasting effects.
Precautionary Statements		
	P102	Keep out of reach of children.
	P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.

	Bar	clay Hurler
	P261	Avoid breathing vapour/spray.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P331	Do NOT induce vomiting.
	P391	Collect spillage.
	P370+378	In case of fire: Use foam, carbon dioxide, dry powder or water fog for extinction.
	P403+233	Store in a well-ventilated place. Keep container tightly closed.
	P501	Dispose of contents/container in accordance with local regulations.
Supplementary Precautionary Staten	nents	
	P233	Keep container tightly closed.
	P240	Ground/bond container and receiving equipment.
	P241	Use explosion-proof electrical equipment.
	P242	Use only non-sparking tools.
	P243	Take precautionary measures against static discharge.
	P271	Use only outdoors or in a well-ventilated area.
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P264	Wash contaminated skin thoroughly after handling.
	P321	Specific treatment (see medical advice on this label).
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P312	Call a POISON CENTER or doctor/physician if you feel unwell.
	P332+313	If skin irritation occurs: Get medical advice/attention.
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.
	P362	Take off contaminated clothing and wash before reuse.
	P363	Wash contaminated clothing before reuse.
	P403+235	Store in a well-ventilated place. Keep cool.
	P405	Store locked up.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

BUTANOL-norm			< 1%
CAS-No.: 71-36-3	EC No.: 200-751-6		
Classification (EC 1272/2008) Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 STOT SE 3 - H336		Classification (67/548/EEC) R10 Xn;R22 Xi;R37/38,R41 R67	
Fluroxypyr meptyl			10-30%
CAS-No.: 81406-37-3	EC No.: 279-752-9		
Classification (EC 1272/2008) Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		Classification (67/548/EEC) N;R50/53	

Hydrocarbons, C9, aromatics			60-100%
CAS-No.:	EC No.: 918-668-5		
Classification (EC 1272/2008) Flam. Liq. 3 - H226 EUH066 Skin Irrit. 3 - H316 STOT SE 3 - H336, H335 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411		Classification (67/548/EEC) Xn;R65. Xi;R37. N;R51/53. R10,R66,R67.	
Organic sulfonate - proprietary			1-5%
CAS-No.:	EC No.:		
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318		Classification (67/548/EEC) Xi;R38,R41.	
Solvent naphtha (petroleum), light ar	omatic		< 1%
CAS-No.: 64742-95-6	EC No.: 265-199-0		
Classification (EC 1272/2008) Flam. Liq. 3 - H226 EUH066 STOT SE 3 - H335, H336 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411		Classification (67/548/EEC) Xn;R65. Xi;R37. N;R51/53. R10,R66,R67.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

Remove affected person from source of contamination. Provide rest, warmth and fresh air. Do not give victim anything to drink if they are unconscious.

Inhalation

Move the exposed person to fresh air at once. Provide fresh air, warmth and rest, preferably in a comfortable upright sitting position. Get medical attention.

Ingestion

Get medical attention immediately! Remove victim immediately from source of exposure. Provide fresh air, warmth and rest, preferably in comfortable upright sitting position. Immediately rinse mouth and drink plenty of water or milk. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!

Skin contact

Remove victim immediately from source of exposure. Remove contaminated clothing immediately and wash skin with soap and water. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Eye contact

Remove victim immediately from source of exposure. Immediately flush with plenty of water. Remove any contact lenses and open eyes wide apart. Call an ambulance and continue flushing during transportation to hospital. Bring these instructions.

4.2. Most important symptoms and effects, both acute and delayed

General information

NOTE! Effects may be delayed. Keep affected person under observation. Seek medical attention for all burns, regardless how minor they may seem.

Inhalation

Vapours may cause drowsiness and dizziness.

Ingestion

May cause stomach pain or vomiting. Fumes from the stomach contents may be inhaled resulting in the same symptoms as inhalation. Skin contact Skin irritation. Allergic rash. Eye contact Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products In case of fire, toxic gases (CO, CO2, NOx) may be formed. Unusual Fire & Explosion Hazards FLAMMABLE.

5.3. Advice for firefighters

Special Fire Fighting Procedures

FLAMMABLE. Avoid breathing fire vapours. Keep up-wind to avoid fumes. Move container from fire area if it can be done without risk. Keep run-off water out of sewers and water sources. Dike for water control. If risk of water pollution occurs, notify appropriate authorities. Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Do not smoke, use open fire or other sources of ignition. Avoid inhalation of dust and vapours.

6.2. Environmental precautions

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body. Do not discharge into drains, water courses or onto the ground. Do not allow to enter drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Clean-up personnel should use respiratory and/or liquid contact protection. Wash thoroughly after dealing with a spillage. Absorb spillage with non-combustible, absorbent material. Remove small spills with vacuum cleaner. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Inform Authorities if large amounts are involved.

6.4. Reference to other sections

For personal protection, see section 8.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. FLAMMABLE. Keep away from heat, sparks and open flame. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product. Follow instructions and ensure correct dilution of this product before use.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Keep away from food, drink and animal feeding stuffs. Protect from freezing and direct sunlight. Protect against physical damage and/or friction. Store in tightly closed original container in a dry, cool and well-ventilated place. Store in closed original container at temperatures between 0°C and 30°C.

Storage Class Flammable liquid storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA	- 8 Hrs	STEL	- 15 Min	Notes
BUTANOL-norm	WEL			50 ppm(Sk)	154	
					mg/m3(Sk)	

WEL = Workplace Exposure Limit.

Ingredient Comments

WEL = Workplace Exposure Limits

Fluroxypyr meptyl (CAS: 81406-37-3)

Ingredient Comments No exposure limits noted for ingredient(s).

8.2. Exposure controls

Protective equipment











Process conditions

Provide eyewash, quick drench.

Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand protection

Wear protective gloves.

Eye protection

Wear goggles/face shield.

Other Protection

Provide eyewash station and safety shower. Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures

Wash contaminated clothing before reuse. Wash hands after handling. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke. Skin protection

Protection suit must be worn.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Amber.
Odour	Solvent.
Solubility	Emulsifiable in water.
Viscosity	2.88 mPas 20 Degrees Celsius
Flash point (°C)	47 Degrees Celsius PM Closed cup.

Information given concerns the concentrated solution.

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

No information available. Hazardous Polymerisation Will not polymerise.

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition. Avoid frost. Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials To Avoid Strong oxidising substances. Strong acids. Strong alkalis. Keep in original container.

10.6. Hazardous decomposition products

None known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxic Dose 1 - LD 50 >2000 mg/kg (oral rat)

Ingestion May be fatal if swallowed and enters airways.

Skin contact Irritating to skin. May cause sensitisation by skin contact. Eye contact Irritating to eyes.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product contains a substance which is toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l	10mg/L < LC50 < 100mg/L
EC 50, 48 Hrs, Daphnia, mg/l	1mg/L < EC50 < 10mg/L
IC 50, 72 Hrs, Algae, mg/l	1mg/L < IC50 < 10mg/L

12.2. Persistence and degradability

Degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility:

Forms an emulsion with water.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Not applicable.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Do not allow runoff to sewer, waterway or ground.

SECTION 14: TRANSPORT INFORMATION		
Road Transport Notes	Avoid releasing to the environment.	
Rail Transport Notes	Avoid releasing to the environment.	
Sea Transport Notes	Do not release into the environment.	
14.1. UN number		
UN No. (ADR/RID/ADN)	1993	
UN No. (IMDG)	1993	
UN No. (ICAO)	1993	

14.2. UN proper shipping name

Proper Shipping Name

FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics, BUTANOL-norm)

14.3. Transport hazard class(es)

ADR/RID/ADN Class	3
ADR/RID/ADN Class	Class 3: Flammable liquids.
ADR Label No.	3
IMDG Class	3
ICAO Class/Division	3
Transport Labels	



14.4. Packing group

ADR/RID/ADN Packing group	Ш
IMDG Packing group	Ш
ICAO Packing group	III

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant



14.6. Special precautions for user

EMS	F-E, S-E
Emergency Action Code	•3Y
Hazard No. (ADR)	30
Tunnel Restriction Code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revision Comments	
Document updated to cor	nply with Annex II of EC Regulation no.1907/2006.
Revision Date	17/04/2014
Revision	1
Supersedes date	10/10/2013
Risk Phrases In Full	
R10	Flammable.
R22	Harmful if swallowed.
R65	Harmful: may cause lung damage if swallowed.
R37/38	Irritating to respiratory system and skin.
R37	Irritating to respiratory system.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R66	Repeated exposure may cause skin dryness or cracking.
R41	Risk of serious damage to eyes.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R67	Vapours may cause drowsiness and dizziness.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard Statements In Full	
EUH066	Repeated exposure may cause skin dryness or cracking.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.